

Since 1986




LED LIGHTING



2
0
2
5 PRICE LIST



**IT'S AN OLD NAME LEGACY
WITH
MORDEN LIGHT**






EVERY SHADOW
IS EVIDENCE OF
LIGHT

Our Presence

With a PAN India presence, we ensure that the **Nandicab** experience of self-expression, creative thinking, and technologically advanced innovations reaches every corner to turn visions into realities.



Expanding Areas

Bihar, Jharkhand, Odisha, West Bengal, Arunachal Pradesh, Assam, Meghalaya, Manipur, Mizoram, Nagaland, Tripura, Kerela

ABOUT US

NANDICAB ELECTRICAL PRODUCTS, It's been 38 years and counting, we've been providing a wide range of Electrical products, including WIRE, SWITCHES, LEDS, MCB'S, and DOUBLE DOORS. Throughout our journey, we have prioritized building trust with our valuable customers and Dealers. At *Nandicab*, we firmly believe in Quality over Quantity.

Allow us to introduce you to *Nandicab* LED Manufacturing, where Innovation meets Efficiency in the realm of LED LIGHTING. At *Nandicab* we pride ourselves not only on delivering superior quality and premium products but also on our commitment to energy conservation. Our Nomadical lights are engineered with a focus on minimizing Electricity consumption without compromising on illumination quality. Through Elegant design and advanced Technology, we have crafted LED LIGHTING SOLUTIONS that consume lower electricity currents compared to conventional light options.

Since 1986, *Nandicab* has been a Trusted name in the Electrical Industry, dedicated to providing top-of-the-line products to meet all your electrical needs. As a leading brand in the market, our commitment to quality, reliability, and mastery has marked us at the forefront of the market.

INDEX

- PANEL LIGHT
- DOUBLE COLOUR
- SURFACE LIGHT
- SPOT LIGHT
- COB LIGHTS
- LAZER LIGHTS
- CYLINDER LIGHTS
- WALL LIGHTS
- TRACK LIGHTS
- HANGING LIGHTS
- PROFILE LIGHTS
- FLEXIBLE LIGHTS
- STRIP LIGHTS
- PROFILE DRIVERS- WATERPROOF RESISTANCE DRIVERS
- TUBELIGHT
- BULB - INVENTOR BULB
- FLOOD LIGHT
- STREET LIGHT
- HIGHBAY LIGHT
- SENSORS
- DIMMABLE CONTROLLERS
- GARDEN LIGHTS
- ELEVATION LIGHTS

INDEX

PRO SERIES

- MAGNETIC LIGHTS
- HIGH END- COB LIGHTS
- LAZER LIGHTS
- WALL LIGHTS
- CYLINDERS
- PROFILE DRIVES

Since 1986



PLUS

LED PANEL



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY FORM	CUT-OUT	DLP	BOX QUANTITY
NC-170	4W	400 lm	120°	WH WW	●■	60mm	290	40
NC-171	8W	800 lm	120°	WH WW	●■	100mm	350	40
NC-172	12W	1200 lm	120°	WH WW	●■	125mm	460	40
NC-173	15W	1500 lm	120°	WH WW	●■	150mm	530	30
NC-174	22W	2200 lm	120°	WH WW	●■	200mm	780	20

Since 1986



ORRO

SLIM PANEL




ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY FORM	CUT-OUT	DLP	BOX QUANTITY
NC-157	6W	600 lm	120°	WH WW	●■	100mm	335	60
NC-158	10W	1000 lm	120°	WH WW	●■	125mm	460	40
NC-159	15W	1500 lm	120°	WH WW	●■	150mm	510	40
NC-160	22W	2200 lm	120°	WH WW	●■	200mm	810	40

Since 1986



DIAMOND
SLIM PANEL



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY FORM	CUT-OUT	DLP	BOX QUANTITY
NC-150	4W	440 lm	120°	WH NW WW	●■	60mm	350	40
NC-151	8W	880 lm	120°	WH NW WW	●■	100mm	440	40
NC-152	12W	1320 lm	120°	WH NW WW	●■	125mm	600	30
NC-153	15W	1650 lm	120°	WH NW WW	●■	150mm	700	30
NC-154	22W	2420 lm	120°	WH NW WW	●■	200mm	1000	20
3 IN 1 PANEL								
NC-155	8W	880 lm	120°	WH NW WW	●■	100mm	540	40
NC-156	15W	1650 lm	120°	WH NW WW	●■	150mm	780	40

Since 1986



POLO
PANEL LIGHT




ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY FORM	CUT-OUT	DLP	BOX QUANTITY
NC-161	8W	960 lm	120°	WH NW WW	●■	100mm	370	40
NC-162	12W	1440 lm	120°	WH NW WW	●■	125mm	500	40
NC-163	15W	1800 lm	120°	WH NW WW	●■	150mm	600	40
NC-164	24W	2880 lm	120°	WH NW WW	●■	200mm	880	20
3 IN 1 PANEL								
NC-165	8W	960 lm	120°	WH NW WW	●■	100mm	440	40
NC-166	15W	1800 lm	120°	WH NW WW	●■	150mm	680	40

Since 1986



LED LIGHTING

DOUBLE COLOR PANEL



CRI>90'

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY FORM	CUT-OUT	DLP	BOX QUANTITY
NC-141	6W	540 lm	120°		●	60mm	370	40
NC-142	12W	1080 lm	120°		●	100mm	520	40
ADJUSTABLE								
NEW NC-144	12W	1080 lm	120°		●	60mm-100mm	440	60

PF>0.9

AC+PC

Since 1986



LED LIGHTING



SURFACE TRIM LESS PANEL



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY FORM	SIZE	DLP	BOX QUANTITY
NC-181	8W	960 lm	120°		● ■	100mm	500	40
NC-182	12W	1440 lm	120°		● ■	125mm	700	40
NC-183	15W	1800 lm	120°		● ■	150mm	800	40
NC-184	22W	2640 lm	120°		● ■	200mm	1085	20

Since 1986



**LONG-LASTING LIGHTS,
TO MAKE YOUR
FUTURE BRIGHT**

SPOT LIGHT



BUTTON SPOT LIGHT



CRI>80'

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-101	1W	100 lm	36°			25mm	120	200
NC-102	2W	200 lm	36°			45mm	140	200
NC-103	3W	300 lm	36°			35mm	160	200

Since 1986



Arc cob

CRI>80


ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-104	3W	330 lm	38			35mm	260	200



Zen Cob

CRI>80

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-105	3W	360 lm	40			40mm	340	200
NC-105(B)	3W	360 lm	40			40mm	370	200



Surface cabinet

CRI>80

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-121	3W	300 lm	110			160	100
NC-122	5W	500 lm	60			500	50



Since 1986



COB



CRI>90

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-201	3W	300 lm	60°	WH NW WW	WH	50mm	410	100
NC-202	6W	600 lm	60°	WH NW WW	WH	62mm	600	100
NC-203	9W	900 lm	60°	WH NW WW	WH	62mm	760	50
NC-204	16W	1600 lm	60°	WH NW WW	WH	100mm	1300	50
NC-205	24W	2400 lm	60°	WH NW WW	WH	100mm	1750	50
NC-206	30W	3000 lm	60°	WH NW WW	WH	125mm	2000	20
NC-207	50W	5000 lm	60°	WH NW WW	WH	135mm	2300	10



Since 1986



COB Zoom



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-208	20W	2000 lm	60°	WH NW WW	WH BK	120mm	2400	30
NC-209	30W	3000 lm	60°	WH NW WW	WH BK	140mm	2900	30



SLIM COB



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-211	3W	300 lm	60°	WH NW WW	WH	50mm	430	100
NC-212	6W	600 lm	60°	WH NW WW	WH	62mm	640	50
NC-213	10W	1000 lm	60°	WH NW WW	WH	75mm	800	50
NC-214	16W	1600 lm	60°	WH NW WW	WH	100mm	1300	50

Since 1986



Be bright.
Be safe.
Be LED



ZEN
COB



CRI>90
3C ON SWITCH

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-231	7W	595 lm	38°	WH NW WW	WH BK	55mm	660	50
NC-232	12W	1020 lm	38°	WH NW WW	WH BK	70mm	900	30
NC-233	18W	1530 lm	38°	WH NW WW	WH BK	85mm	1480	30
(Works with Mobile App & Remote)								
NC-241	12W	1020 lm	38°	WH NW WW	WH BK	70mm	1500	30

REFLECTORS: GUN WHITE / GUN BLACK / SILVER / ROSE GOLD

Since 1986



Aluminum Housing

Aluminum content concentration, good resistance to corrosion rust prevention The cooling speed faster, long service life





Since 1986



LED LIGHTING



MODEST BUT LUXURIOUS
Excellent quality · Excellent optics



ARC COB



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-221	7W	700 lm	38°	WH NW WW	WH BK	60mm	770	50
NC-222	12W	1000 lm	38°	WH NW WW	WH BK	75mm	1000	50
NC-223	18W	1020 lm	38°	WH NW WW	WH BK	85mm	1400	20

REFLECTORS: WHITE / BLACK / GUN BLACK / ROSE GOLD

CRI>90

Since 1986




ALPHA



CRI>80

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-519	6W	540 lm	30°	<input type="radio"/> WH <input type="radio"/> NW <input checked="" type="radio"/> WW	<input type="radio"/> WH <input checked="" type="radio"/> BL	780	100
NC-520	10W	900 lm	30°	<input type="radio"/> WH <input type="radio"/> NW <input checked="" type="radio"/> WW	<input type="radio"/> WH <input checked="" type="radio"/> BL	920	100

Since 1986



BETA NEW



CRI>90

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	SurDfaLcPe	BOoxX
NC-276	6W	600 lm	30°	<input type="radio"/> NW <input checked="" type="radio"/> WW	<input type="radio"/> WH <input checked="" type="radio"/> BL	85*35 mm	660	100
NC-277	10W	1000 lm	30°	<input type="radio"/> NW <input checked="" type="radio"/> WW	<input type="radio"/> WH <input checked="" type="radio"/> BL	140*35 mm	790	100

CHOOSING THE RIGHT COLOUR TEMPERATURE

WARM WHITE

NATURAL WHITE

WHITE




3000K

4000K

6500K

INNOVATE A NEW LIGHTING TO YOUR HOME



ARC
 CYLINDER



CRI > 80

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-301	7W	676 lm	60°	WH NW WW	WH BK	900	50
NC-302	12W	1080 lm	60°	WH NW WW	WH BK	1200	50
NC-303	18W	1620 lm	60°	WH NW WW	WH BK	1560	20
NC-304	24W	2160 lm	60°	WH NW WW	WH BK	1980	20
NC-305	30W	2700 lm	60°	WH NW WW	WH BK	2500	20



WALL SPOT LIGHT



Item Code	Item Description	M.R.P.₹	Master Carton
NC-112	3 W SPOT LIGHT (BRAS)	1000.00	100
NC-113	6 W SPOT LIGHT (BRAS)	1300.00	50
NC-115	16 W SPOT LIGHT	1720.00	20
NC-116	30 W SPOT LIGHT	2000.00	20

BODY COLOUR: BRAS/BLACK + GOID
C.C.T: W.H/W.W





TRACK LIGHT

 BRIGHTNESS
 PF<0.9
 ECO-FRIENDLY
 ON/OFF SWITCH
 2 YEARS WARRANTY

ADJUST ON SWITCH

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-311	10W	1050 lm	38	WH NW WW	WH BK	820	20
NC-312	20W	2100 lm	38	WH NW WW	WH BK	1500	20
NC-313	30W	3150 lm	38	WH NW WW	WH BK	1800	20

CRI>90

 BRIGHTNESS
 PF<0.9
 ECO-FRIENDLY
 ON/OFF SWITCH
 2 YEARS WARRANTY

Item Code	Item Description	M.R.P.₹	Master Carton
NC-321	1 MTR TRACK	340.00	20
NC-322	2 MTR TRACK	680.00	20



HANGING LINEAR

CAN ALSO BE CUSTOMISED

 BRIGHTNESS
 PF<0.9
 ECO-FRIENDLY
 ON/OFF SWITCH
 2 YEARS WARRANTY

Item Code	Item Description	List
521	4 FEET	4000.00
522	6 FEET	6400.00
523	8 FEET	7200.00
524	12 FEET	11200.00

C.C.T- W,H/N,M/W,W
 BODY COLOUR- W,H/BK

Since 1986



Illuminating The Darkness

POLO
STRIP LIGHT



- 240**
LEDs
Per Meter
- 20-22**
Lumens
Per LED
- 20W**
Per
Meter
- Long
Life
- Eco
Friendly

- BRIGHTNESS
- PF<0.9**
- ECO-FRIENDLY
- ON/OFF SWITCH
- 2**
YEARS
WARRANTY

CRI>80

5 MTR/ROLL

ITEM CODE	PCB	ITEM	WATTS	LUMENS	COLOUR TEMP.	DLP (PER METER)	BOX QUANTITY
NC-351	10mm	2835-240 led	20W/MTR	22 lm		210	250 MTR.
NC-351	5mm	2835-180 led	16W/MTR	22 lm		160	250 MTR.
NC-351	5mm	2835-120 led	10W/MTR	22 lm		130	250 MTR.
WATERPROOF							
NC-351	10mm	2835-240 led	20W/MTR	22 lm		310	250 MTR.

Since 1986



Warm
Up
Your Home

DIAMOND
LED STRIP LIGHT



- 240 LED**
PER METER
- 26-28 LUMENS**
PER LED
- 24W**
PER METER
- BEAM ANGLE**
120°
- CRI**
80° DEGREES

- BRIGHTNESS
- PF<0.9**
- ECO-FRIENDLY
- ON/OFF SWITCH
- 2**
YEARS
WARRANTY

CRI>80

5 MTR/ROLL

ITEM CODE	PCB	ITEM	WATTS	LUMENS	COLOUR TEMP.	DLP (PER METER)	BOX QUANTITY
NC-352	2835-240 led	10mm	24W/MTR	28 lm		310	250

Since 1986



POLO SMPS

20 IP
2 YEARS Warranty

ITEM CODE	ITEM DESCRIPTION	DLP	BOX QUANTITY
NC 361	2 AMPS	360	200
NC 362	5 AMPS	480	100
NC 363	10 AMPS	620	100
NC 364	12.5 AMPS	700	100
NC 365	16.5 AMPS	800	50
NC 366	25 AMPS	900	50
NC-367	33 AMPS	1020	50

Since 1986



Profile

Item Code	Item Description	M.R.P.₹	Master Carton
NC-461	8 MM CONCEAL	110.00	400MTR
NC-462	12 MM CONCEAL	160.00	200MTR
NC-463	17 MM CONCEAL	68.00	400MTR
NC-464	25MM CONCEAL	140.00	400MTR
NC-465	35 MM CONCEAL	660.00	200MTR
NC-466	50 MM CONCEAL	780.00	200MTR
NC-467	8 MM SURFACE	130.00	200MTR
NC-468	12 MM SURFACE	160.00	200MTR
NC-469	17 MM SURFACE	150.00	400MTR
NC-470	25MM SURFACE	170.00	400MTR
NC-471	35 MM SURFACE	660.00	200MTR
NC-472	50 MM SURFACE	800.00	200MTR
NC-473	25MM CORNER PROFILE	200.00	200MTR

Since 1986




DIMMING & CONTROLLING



RF CONTROLLER

3 in 1 (Glass Finish)
12V-24V



RF CONTROLLER

Dimming (Glass Finish)
12V-24V



RF CONTROLLER

3 in 1
12V-24V



RF CONTROLLER

Dimming
12V-24V

Since 1986



POLO

WATER RESISTANT SMPS




ITEM CODE	ITEM	WATTS	DIMENSIONS	DLP	QUANTITY
NC-361	25 AMS	300 WATTS	182*117*50	1580	20
NC-369	33 AMS	400 WATTS	182*117*50	1900	20

Since 1986



FLEXIBLE PROFILE LIGHT




Item Code	Item Description	M.R.P.₹	Master Carton
NC-531	12 X 12	200.00/mtr	100MTR
NC-532	16X16	280.00/mtr	100MTR

Since 1986



SMD ROPE LIGHT



ITEM CODE	LIGHT	WATTS	BEAM ANGLES
NC-331	W.H/W.W/BL	8W/MTR	120°
NC-332	PK/GR	8W/MTR	120°
NC-333	Y/ICE DL/Purple	8W/MTR	120°

Since 1986



TUBE LIGHT



CRI>80

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY	DLP	BOX QUANTITY
NC-512	22W	2200 lm	120°	WH	PC	200	50
NC-513	40W	4800 lm	120°	WH, NW, WW	Aluminium	740	25

Since 1986



Switch to LED Bulb

LED BULB




B22-BASE

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-501	9W	90 lm	240°	NW, WW	90	100
NC-502	12W	120 lm	240°	NW, WW	190	100
NC-503	18W	180 lm	240°	WH	270	100
NC-504	30W	300 lm	240°	WH	560	50
NC-505	50W	500 lm	240°	NW, WW	750	30

Since 1986



DESIGNED TO ENHANCE YOUR
AMBIENCE



POLO
FLOOD LIGHT

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-401	30W	3600 lm	120°	WH	960	30
NC-402	50W	6000 lm	120°	WH	1250	20
NC-403	100W	12000 lm	120°	NW WW	2450	10
NC-404	150W	18000 lm	120°	WH	3700	5
NC-405	200W	24000 lm	120°	WH	4800	2



Since 1986



Lighting That
Makes A
Difference



AARYA
LED FLOOD LIGHT

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-412	50W	5500 lm	120°	WH	1300	24
NC-413	100W	11000 lm	120°	WH	2300	20





**Brighter Moments
 On A Darker Night**

POLO
 STREET LIGHT



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-441	24W	2880 lm	120°	WH	850	25
NC-442	36W	4320 lm	120°	WH	1150	20
NC-443	50W	6000 lm	120°	WH	1440	15
NC-444	100W	12000 lm	120°	WH	2500	5



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-421	50W	600 lm	90°	WH	3800	6
NC-422	100W	1200 lm	90°	WW	4340	4
NC-423	150W	1800 lm	120°	WH	4860	4
NC-424	200W	2400 lm	120°	WW	6750	1

Since 1986



WARDROBE LIGHT

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-541	4W	380 lm	11°	WH NW WW	1 Feet	850	30
NC-542	8W	720 lm	0°	WH NW WW	2 Feet	1060	30



SENSOR FOOT LAMP



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-551	3W	270 lm	60°	WW	2m	1000	30



Since 1986



Wardrobe sensor



Item Code : NC-533-Single Door
 NC-533(B)-Double Door
 List : 1020/1400
 Master Carton : 50 PC

Microwave Motion sensor



Item Code : NC-532 (Concealed Surface)
 M.R.P.₹ : 2200
 Master Carton : 50 PC

Switch Button




Item Code : NC-541
 List : 165
 Master Carton : 100 PC



SMD STRIP CONNECTOR (WIRE 10 CM) - 65
 SMD STRIP CONNECTOR (WITHOUT WIRES) - 55
 SMD STRIP CONNECTOR (L SHAPE) - 120


Since 1986



Since 1986



BLUETOOTH STEP SENSOR





- Input Voltage: 24V
- Output Power: 500/1000W
- Output Channels: 32CH * 3A
- Dimming Method: PWM + SPI
- Control Method: Bluetooth, Manual
- Operating Temperature: -20°C to 55°C
- Wired Sensor Hole Size: 31mm
- Sensor Angle: 120°
- Wired Sensor Distance: 3M
- Wireless Sensor Distance: 8M
- Certifications: CE, ROHS
- Packaging Size: L215 * W105 * H55mm
- Net Weight: 506g
- M.R.P.: 7400/-

 WORKS WITH APP
ULTRA LIFE




STEP SENSOR CONTROLLER



- Input Voltage: 12V/24V Output
- Power: 500W/1000W
- Channels: Dimming * 3A
- Method: PWM + SPI
- Operating Temperature: -20°C to 55°C
- M.R.P.: 6000/-

Since 1986



Lazer

POWER
GARDEN LIGHT



ITEM CODE		LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-122	7W	595 lm		WH GR	760	50
NC-122(B)	7W	595 lm		RGB	960	50
NC-123	12W	1080 lm		WW	1100	50
NC-123(B)	12W	1080 lm		RGB	1600	50

Since 1986



Voilà

GARDEN LIGHT



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	LIST	BOX QUANTITY
NC-124	8W	680 lm	45	WW	840	50
NC-124(B)	8W	680 lm	45	RGB	1060	50
NC-125	15W	1275 lm	45	WW	1400	50
NC-125(B)	15W	1275 lm	45	RGB	1800	50

ELEVATION LIGHTS



Since 1986



Since 1986




65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1101	5W	1	500 lm	120°	☀️	80x45x100	720	50
NC-1101	10W	2 WAY	1000 lm	120°	☀️	120x45x100	1280	50



65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1106	10W	2 WAY	900 lm	38°	☀️	50x40x145	1200	50




65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1102	5W	1 WAY	600 lm	40°	☀️	160x70x160	1700	50



65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1105-4	4W	2	400 lm	38°	☀️	120x40x90	1100	50
NC-1105-6	6W	2 WAY	600 lm	38°	🌈	180x40x90	1320	50



65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1103	5W	1	500 lm	38°	☀️	80x45x100	840	50
NC-1103	9W	WAY	900 lm	38°	☀️	80x45x100	1440	20
NC-1103	10W	1	1000 lm	38°	☀️	80x45x120	1440	20
NC-1103	18W	2 WAY	1800 lm	38°	☀️	80x45x200	2100	20




65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1109	6W	2 WAY	600 lm	40°	☀️	80x65x140	800	30



65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1104	10W	2	900 lm	38°	☀️	80x45x100	1360	50
NC-1104	18W	2 WAY	1800 lm	38°	☀️	120x45x100	2000	50



65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1110	12W	4 WAY	1320 lm	38°	☀️	125x45x120	1700	20
NC-1110	12W	4 WAY	1320 lm	38°	🌈	125x45x120	1900	20

Since 1986



Since 1986





65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1107	10W	2 WAY	1200 lm	0 - 120	☀️	136x100x100	2100	50

65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1111(S)	4W	4	400 lm	38°	☀️	65mm	480	50
NC-1111(S)	12W	WAY	1200 lm	38°	🌈	65mm	620	50
NC-1111(B)	4W	4	400 lm	38°	☀️	75mm	620	50
NC-1111(B)	12W	WAY	1200 lm	38°	🌈	75mm	820	50





65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1108	10W	2 WAY	900 lm	38° - 120°	☀️	110x65x175	1800	20

65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1114	4W	4	400 lm	38°	☀️	75x75x50	760	50
NC-1114	12W	WAY	1200 lm	38°	🌈	75x75x50	940	50



65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1112	12W	4	1320 lm	38°	☀️	95mm	1800	20
NC-1112	12W	WAY	1320 lm	38°	🌈	95mm	2100	20

65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1115	2W	2	200 lm	40°	☀️	78x64x35	460	50
NC-1115	6W	WAY	600 lm	40°	🌈	80x75x35	640	50




65 IP 80 CRI 2 Year Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1113	4W	2	400 lm	38°	☀️	120x40x90	800	30
NC-1113	6W	WAY	600 lm	38°	☀️	185x45x95	1200	20
NC-1113	6W	2	600 lm	38°	🌈	185x45x95	1600	20

65 IP 80 CRI 2 Year Warranty


ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1116	2W	2	200 lm	38°	☀️	55x88x37	520	50
NC-1116	6W	WAY	600 lm	38°	🌈	55x88x37	680	50



Since 1986



LED LIGHTING




65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1117	5W	3 WAY	450 lm	38°	☀️	98x56x48	600	100

Since 1986




LED LIGHTING



65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1120	12W	2 WAY	1200 lm	120	☀️	150x125	1920	30




65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1118	8W	6	720 lm	38°	☀️	120x120x50	1060	30
NC-1118	24W	6 WAY	2160 lm	38°	🌈	120x120x50	1360	30

65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1121	12W	3	1200 lm	38°	☀️	105x105x130	1010	30
NC-1121	12W	3 WAY	1200 lm	38°	🌈	105x105x130	1340	30





65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1119-4	4W	2	400 lm	40°	☀️	93x83x50	750	30
NC-1119-4	12W	2 WAY	1200 lm	40°	🌈	93x83x50	1080	30

65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1123	6W	6 WAY	600 lm	38	☀️	125x125x45	1400	30



65 IP 80 CRI 2 Warranty

ITEM CODE	POWER	WAY	LUMENS	BEAM ANGLES	COLOUR TEMP.	SIZE	DLP	BOX QUANTITY
NC-1119-6	6W	2	600 lm	40	☀️	143x83x50	850	30
NC-1119-6	18W	2 WAY	1800 lm	40	🌈	143x83x50	1300	30



ARCHITECTS


INTERIORS

PROJECTS

PRO
SERIES




LED LIGHTING



MAGNETIC TRACK

Track Bluetooth Speaker

 **Bluetooth**[®] Speaker



 **Bluetooth**[®] Speaker



Track Bluetooth speaker




Track Bluetooth speaker





Breathing light




The material and structure of the full frequency unit can reduce the low frequency distortion more effectively

This is true even at higher volumes


-  Dial switch Host or Sub Unit
-  Use it in track
-  Media Play
-  Hi-fi Sound

 **Bluetooth** Speaker

Track Bluetooth Speaker Placement



Bluetooth device connect to the Host mode, Track Bluetooth Speaker and other Sub Unit modes automatically synchronize and connect.
One Host can drive N... Sub Unit



The Track Bluetooth Speaker has two modes of Host and Sub Unit, which can be switched between the Host and Sub Unit by dip switch on the back cover of the device.

One Host can drive N... Sub Unit



 Bluetooth® Speaker




 Bluetooth® Speaker

Bluetooth® Speaker



Track
Bluetooth
Speaker



Name Track Bluetooth Speaker

Installation position
Low pressure Track, High pressure Track

Installation scenario
Living room, study, coffee shop, restaurant and other home business places

Material
PC

Body Color
Black/White

Size
75mm

Voltage
DC24V-48V / AC85V-265V

Bluetooth Version
V5.4

Power
10W (MAX)

Signal Frequency
12DB

Protection class
IP20

Bluetooth Distance
10 meters barrier free

Ambient temperature
-20 C~40 C

Distance Between Host & Sub Unit
20 meters barrier-free

Bluetooth® Speaker

MAGNETIC TRACK LAMP

DIY stitching can be used to create a more concise
aesthetic feeling of space



LED LIGHTING



MAGNETIC TRACK LAMP

Aluminum material, high brightness and energy saving
high color rendering index, good color reproduction

High efficiency heat dissipation

MAGNETIC TRACK LAMP

No secondary light spot, pure and clear, uniform light spot transition, more soft and comfortable



Model	Power	List	Size(mm)
Lazer Spot	6W	820	115*22*25
Lazer Spot	12W	1100	223*22*25
Lazer Spot	18W	1400	331*22*25
<hr/>			
Lazer Spot (smart)	6W	1420	115*22*25
Lazer Spot (smart)	12W	1780	223*22*25
Lazer Spot (smart)	18W	1800	331*22*25

SMART LIGHTS WORKS WITH MOBILE AND REMOTE



Model	Power	List	Size(mm)
Lazer Spot Wall Washer	6W	1300	110*22*102
Lazer Spot Wall Washer	12W	1700	220*22*102
Lazer Spot Wall Washer	18W	2000	331*22*25
Smart Wall Washer	6W	1800	110*22*102
Smart Wall Washer	12W	2200	220*22*102
Smart Wall Washer	18W	2500	331*22*25

SMART LIGHTS WORKS WITH MOBILE AND REMOTE



High quality chip, Energy-efficient

MAGNETIC TRACK LAMP

No secondary light spot, pure and clear, uniform light spot transition, more soft and comfortable



Model	Power	List	Size(mm)
Track Light	12W	1300	Ø47*H122
Track Light	18W	2000	Ø57*H146
Smart Track Light	12W	2180	Ø47*H122
Smart Track Light	18W	3000	Ø57*H146

SMART LIGHTS WORKS WITH MOBILE AND REMOTE



Model	Power	List	Size(mm)
Hanging	12W	2000	Ø55*H300

SMART LIGHTS WORKS WITH MOBILE AND REMOTE





LED LIGHTING

High quality chip, Energy-efficient

MAGNETIC TRACK LAMP

No secondary light spot, pure and clear, uniform light spot transition, more soft and comfortable



High efficiency heat dissipation


Model	Power	List	Size(mm)
Linear Profile	12W	860	307*22*25
Linear Profile	24W	1280	607*22*25
Smart Linear Profile	18W	1400	307*22*25
Smart Linear Profile	12W	2400	607*22*25

SMART LIGHTS WORKS WITH MOBILE AND REMOTE

Model	Power	List	Size(mm)
Corner Profile	12W	2960	Ø56*H175
Smart Corner Profile	12W	3500	Ø56*H175

SMART LIGHTS WORKS WITH MOBILE AND REMOTE

MAGNETIC POWER SUPPLY



Model	Power	List	Size(mm)
Drivers	100W	1760	225
Drivers	200W	2550	225
Smart Drivers	100W	4120	225
Smart Drivers	200W	4760	225

SMART LIGHTS WORKS WITH MOBILE AND REMOTE



LED LIGHTING



All aluminum, Well-designed

SLIM TRACK


No secondary light spot, pure and clear, uniform light spot transition, more soft and comfortable

2023-2024

CX-20-SUPER SLIM TRACK



MAGNETIC RAIL



Model	List	Size(mm)
1 MTR	1460	20mm
2 MTR	2900	20mm



Model	List	Size(mm)
1 MTR	1460	20mm
2 MTR	2900	20mm

Silicon Tube



Item	List
1 MTR	2900
2 MTR	4300


Item	List
Fan	6200

Magnetic Fan




MAGNETIC TRACK ADAPTER CORNER

SURFACE



CONCEAL



Corner

LIST : 500

Corner

LIST : 420

Power Con


SINGLE : 300

DOUBLE : 500


STRAIGHT : 300

REMOTE : 900

CONCEAL



SUSPENDER



A spotlight from the top center of the frame illuminates a person in a dark room. The person is in a contorted, acrobatic pose, lying on their back with their legs raised and bent, and their arms extended. The spotlight creates a bright, conical beam of light that highlights the person's form against the dark background.

The real color
you will get

Color rendering index is a measure of a light source's ability to show object's color realistically or naturally compared to the daylight.

Nnaturally & **V**ividly



Spherical
Shading

Precise Light Control

Turn the clamping shaft in a clear rhythm











ZINC COB



MOVABLE


WALL-WASHER

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY	CUT-OUT	DLP	BOX QUANTITY
NC-225	8W	680 lm	38°	 	Rim	55mm	1300	50
NC-225(B)	8W	680 lm	38°	 	Rimless	55mm	1360	50
NC-226	15W	1275 lm	38°	 	Rim	75mm	1520	50
NC-226(B)	15W	1275 lm	38°	 	Rimless	75mm	1580	50

REFLECTOR: GUN BLACK/GUN WHITE

ALEXA

LED COB SPOT LIGHT



UNIQUE HONEYCOMB REFLECTOR





ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-251	8W	800 lm	38°	WH NW WW	WH BK	50mm	1040	50
NC-252	15W	1500 lm	38°	WH NW WW	WH BK	60mm	1480	50
NC-253	20W	2000 lm	38°	WH NW WW	WH BK	75mm	1780	20

REFLECTORS: GUN BLACK / WHITE HONEYCOMB / BRONZE HONEY COMB

JOE

MODEL











ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-244	15W	1800 lm	60°	 	 	75mm	1200	50

FOCUS

MODEL



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	CUT-OUT	DLP	BOX QUANTITY
NC-234	8W	800 lm	60°	  		60mm	885	50
NC-235	15W	1500 lm	60°	  		75mm	1300	50

GAMMA



CRI>90

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	LIST	BOX QUANTITY
NC-278	10W	1100 lm	30°			155*35 mm	1590	100




LED LIGHTING

Designed to enhance
**YOUR
AMBIENCE**



GLACE COB CYLINDER




ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-114	10W	1200 lm	45°	WH NW WW	GUN BLACK CHAMPAGNE GOLD SILVER	1500	50

ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-307	12W	1440 lm	38°	WH NW WW	GUN BLACK ROSEGOLD	1800	30

WALL SPOT/CONCEAL/TRACK

FIXTURE FOR LIGHTING PROFILE



Etalian Model

Item Code	Item Description	M.R.P.₹	Master Carton
NC-374	12.5 AMPS	1150.00	90
NC-375	16.5 AMPS	1550.00	90
NC-376	25 AMPS	2000.00	60
NC-377	33 AMPS	2600.00	60

This DRIVERS ARE specially designed for profile lights.




Elevation
Wall Decor

HIGHER ST

QUALITY

MARBLE
FINISH



ITEM CODE	POWER	LUMENS	BEAM ANGLES	COLOUR TEMP.	BODY COLOUR	DLP	BOX QUANTITY
NC-114	12W	1200 lm	38°		 	2000	20

Elevate your world with **MARBLE FINISH**

**MAKE
SMART
CHOICES
IN YOUR
LIFE**

EXIT



THANK YOU

